ANNUAL INDEX

References to Papers Published in Journal of Petroleum Technology and Society of Petroleum Engineers Journal during 1968

Author Index

A

Adams, A. R., et al: *Gas Well Testing in a Fractured Carbonate Reservoir, JPT* Oct., 1187

Appl, F. C. and Rowley, D. S.: *Analysis of the Cutting Action of a Single Diamond, SPEJ* Sept., 269

Avasthi, S. M. and Kennedy, H. T.: *The Prediction of Volumes, Compressibilities and Thermal Expansion Coefficients of Hydrocarbon Mixtures, SPEJ* June, 95

B

Barnes, A. L. and Rowe, A. M., Jr.: *A Feasibility Study of an In Situ Retorting Process for Oil Shale, SPEJ* Sept., 231; discussion, 422

Bousaid, I. S. and Ramey, H. J., Jr.: *Oxidation of Crude Oil in Porous Media, SPEJ* June, 137

Briggs, J. E. and Dixon, T. N.: *Some Practical Considerations in the Numerical Solution of Two-Dimensional Reservoir Problems, SPEJ* June, 185

Brinkley, T. W. and Dorsey, J. B.: *Performance Review of Shoats Creek Unit Vaporizing Gas-Drive Project, JPT* Apr., 416

Burgess, R. J., et al: *Gas Well Testing in a Fractured Carbonate Reservoir, JPT* Oct., 1187

Burton, R. A., et al: *The Effect of Induced Vertically Oriented Fractures on Five-Spot Sweep Efficiency, SPEJ* Sept. 260

C

Carlton, L. A., et al: *A Field Application of Pulse-Testing for Detailed Reservoir Description, JPT* Mar., 313

Caudle, B. H., et al: *A Method of Predicting Oil Recovery in a Five-Spot Steamflood, JPT* Sept., 1050

Performance of the Skewed Four-Spot Injection Pattern, JPT Nov., 1315

Cavendish, J. C., et al: *Numerical Methods of Higher-Order Accuracy for Diffusion-Convection Equations, SPEJ* Sept., 293

Childers, M. A.: *Primary Cementing of Multiple Casing, JPT* July, 751

Cichowicz, L. and Millheim, K. K.: *Testing and Analyzing Low-Permeability Fractured Gas Wells, JPT* Feb., 193

Claridge, E. L. and Lee, K. S.: *Areal Sweep Efficiency of Pseudoplastic Fluids in a Five-Spot Hele-Shaw Model, SPEJ* Mar., 52

Clark, K. K.: *Transient Pressure Testing of Fractured Water Injection Wells, JPT* June, 639

Closmann, P. J.: *Steam Zone Growth in a Preheated Reservoir, SPEJ* Sept., 313

Coats, K. H.: *A Treatment of the Gas Percolation Problem in Simulation of Three-Dimensional, Three-Phase Flow in Reservoirs, SPEJ* Dec., 413

Couch, E. J. and Keller, H. H.: *Well Cooling by Down-Hole Circulation of Water, SPEJ* Dec., 405

Craig, F. F., Jr.: Discussion on *Combination Method for Predicting Waterflood Performance for Five-Spot Patterns in Stratified Reservoirs, JPT*, 1429

Cronquist, C.: *Waterflooding by Linear Displacement in Little Creek Field, Mississippi, JPT* May, 525

D

Dalton, C. and McGill, H. L.: *Analytical and Experimental Investigation of Flow in a Hydraulic Jar, SPEJ* Dec., 351

Davies, L. G., et al: *A Method of Predicting Oil Recovery in a Five-Spot Steamflood, JPT* Sept., 1050

Davis, J. A., Jr., and Jones, S. C.: *Displacement Mechanisms of Micellar Solutions, JPT* Dec., 1415

Dew, J. N., et al: *Results of a Tertiary Hot Waterflood in a Thin Sand Reservoir, JPT* July, 739

Dietz, D. N. and Weijdema, J.: *Wet and Partially Quenched Combustion, JPT* Apr., 411

Dietz, D. N.: Discussion on *Two-Dimensional Method for Predicting Hot Waterflood Recovery Behavior, JPT* July, 770

Dixon, T. N. and Briggs, J. E.: *Some Practical Considerations in the Numerical Solution of Two-Dimensional Reservoir Problems, SPEJ* June, 185

Dollarhide, F. E. and Hall, C. D., Jr.: *Performance of Fracturing Fluid Loss Agents Under Dynamic Conditions, JPT* July, 763

Donohue, D. A. T., et al: *The Effect of Induced Vertically Oriented Fractures on Five-Spot Sweep Efficiency, SPEJ* Sept., 260

Dorsey, J. B. and Brinkley, T. W.: *Performance Review of Shoats Creek Unit Vaporizing Gas-Drive Project, JPT* Apr., 416

E

Earlougher, R. C., Jr., et al: *Pressure Distributions in Rectangular Reservoirs, JPT* Feb., 199

Elkins, L. F., et al: *Progress Report on Spraberry Waterflood Reservoir Performance, Well Stimulation and Water Treating and Handling, JPT* Sept., 1039

Emanuel, A. S.: *Corresponding States Correlation for Calculating Gas-Condensate Phase Equilibria, SPEJ* Sept., 281

F

Farouq Ali, S. M. and Pirela, L. V.: *Ternary Phase Behavior at High Temperatures, SPEJ* Dec., 381

G

Gates, G. L.: Discussion on *Unique Characteristics of Barium Sulfate Scale Deposition, JPT* Feb., 209

Gilliland, H. E.: Discussion on *A Feasibility Study of an In Situ Retorting Process for Oil Shale, SPEJ*, 422

Godfrey, W. K.: *Effect of Jet Perforating on Bond Strength of Cement, JPT* Nov., 1301

Gogarty, W. B. and Tosch, W. C.: *Miscible-Type Waterflooding: Oil Recovery With Micellar Solutions, JPT* Dec., 1407

Goodman, R. E. and Mahtab, M. A.: *Stresses Around Wellbores in Nonlinear Rocks, SPEJ* Sept., 304

Gould, R. C., et al: *Progress Report on Spraberry Waterflood Reservoir Performance, Well Stimulation, and Water Treating and Handling, JPT* Sept., 1039

Gray, K. E. and Myers, G. M.: *Rock Failure During Tooth Impact and Dynamic Filtration, SPEJ* June, 163

Gray, K. E. and Seth, M. S.: *Transient Stresses and Displacement Around a Wellbore Due to Fluid Flow in Transversely Isotropic, Porous Media: I. Infinite Reservoirs, SPEJ* Mar., 63

Transient Stresses and Displacement Around a Wellbore Due to Fluid Flow in Transversely Isotropic, Porous Media: II. Finite Reservoirs, SPEJ Mar., 79

Gray, K. E., et al: *Dynamic Properties of Dry and Water-Saturated Green River Shale Under Stress, SPEJ* Dec., 389

Gregory, A. R., et al: *Dynamic Properties of Dry and Water-Saturated Green River Shale Under Stress, SPEJ* Dec., 389

H

Hall, C. D., Jr. and Dollarhide, F. E.: *Performance of Fracturing Fluid Loss Agents Under Dynamic Conditions, JPT* July, 763
Hall, H. N.: *Predicting Gravity-Drainage Performance Using a Three-Dimensional Model, JPT* May, 517
Hancox, N. L.: *An Experimental Test of the Cutting and Rejoining Model for Representing Porous Bodies, SPEJ* Mar., 13
Hansford, J. T., et al: *The Effect of Induced Vertically Oriented Fractures on Five-Spot Sweep Efficiency, SPEJ* Sept., 260
Hassinger, R. C. and von Rosenberg, D. V.: *A Mathematical and Experimental Examination of Transverse Dispersion Coefficients, SPEJ* June, 195
Hiatt, W. N.: *Mathematical Basis of Two-Phase, Incompressible Vertical Flow Through Porous Media and Its Implications in the Study of Gravity-Drainage-Type Petroleum Reservoirs, SPEJ* Sept., 225
Hickman, B. M., et al: *Performance of the Skewed Four-Spot Injection Pattern, JPT* Nov., 1315
Holm, L. W.: *The Mechanism of Gas and Liquid Flow Through Porous Media in the Presence of Foam, SPEJ* Dec., 359
Hurst, W.: Discussion on *Pressure Drawdown and Buildup in the Presence of Radial Discontinuities, SPEJ* Sept., 321

I

Inks, C. G. and Lahring, R. I.: *Controlled Evaluation of a Surfactant in Secondary Recovery, JPT* Nov., 1320

J

Javandel, I. and Witherspoon, P. A.: *Application of the Finite Element Method to Transient Flow in Porous Media, SPEJ* Sept., 241
Jones, R. F., et al: *In Situ Combustion Away From Thin, Horizontal Gas Channels, SPEJ* Mar., 18
Jones, S. C. and Davis, J. A., Jr.: *Displacement Mechanisms of Micellar Solutions, JPT* Dec., 1415

K

Katz, D. L., et al: *Threshold Pressure Phenomena in Porous Media, SPEJ* June, 174; discussion, 420
Keller, H. H. and Couch, E. J.: *Well Cooling by Down-Hole Circulation of Water, SPEJ* Dec., 405
Kennedy, H. T. and Avasthi, S. M.: *The Prediction of Volumes, Compressibilities and Thermal Expansion Coefficients of Hydrocarbon Mixtures, SPEJ* June, 95
Kennedy, H. T. and Little, J. E.: *A Correlation of the Viscosity of Hydrocarbon Systems With Pressure, Temperature and Composition, SPEJ* June, 157
Krech, W. W. and Perkins, T. K.: *The Energy Balance Concept of Hydraulic Fracturing, SPEJ* Mar., 1

L

Lahring, R. I. and Inks, C. G.: *Controlled Evaluation of a Surfactant in Secondary Recovery, JPT* Nov., 1320
Land, C. S.: *Calculation of Imbibition Relative Permeability for Two- and Three-Phase Flow From Rock Properties, SPEJ* June, 149
LeBlanc, J. L. and Lewis, R. L.: *A Mathematical Model of a Gas Kick, JPT* Aug., 888
Lee, K. S. and Claridge, E. L.: *Areal Sweep Efficiency of Pseudoplastic Fluids in a Five-Spot Hele-Shaw Model, SPEJ* Mar., 52
Lewis, R. L. and Le Blanc, J. L.: *A Mathematical Model of a Gas Kick, JPT* Aug., 888
Little, J. E. and Kennedy, H. T.: *A Correlation of the Viscosity of Hydrocarbon Systems With Pressure, Temperature and Composition, SPEJ* June, 157

M

Mahtab, M. A. and Goodman, R. E.: *Stresses Around Wellbores in Nonlinear Rocks, SPEJ* Sept., 304
Martin, J. C.: *Partial Integration of Equations of Multiphase Flow, SPEJ* Dec., 370
Martin, W. L., et al: *Results of a Tertiary Hot Waterflood in a Thin Sand Reservoir, JPT* July, 739
McGill, H. L. and Dalton, C.: *Analytical and Experimental Investigation of Flow in a Hydraulic Jar, SPEJ* Dec., 351
McKinley, R. M., et al: *A Field Application of Pulse-Testing for Detailed Reservoir Description, JPT* Mar., 313
Miller, F. G., et al: *Pressure Distribution in Rectangular Reservoirs, JPT* Feb., 199
Millheim, K. K. and Cichowicz, L.: *Testing and Analyzing Low-Permeability Fractured Gas Wells, JPT* Feb., 193
Mueller, T. D., et al: *Pressure Distribution in Rectangular Reservoirs, JPT* Feb., 199
Murphey, C. E., Jr.: Discussion on *Use of Bumper Subs When Drilling From Floating Vessels, JPT* Feb., 210
Myers, G. M. and Gray, K. E.: *Rock Failure During Tooth Impact and Dynamic Filtration, SPEJ* June, 163

N

Nelson, R. W.: *In-Place Determination of Permeability Distribution for Heterogeneous Porous Media Through Analysis of Energy Dissipation, SPEJ* Mar., 33
Nicksic, S. W. and Stout, C. A.: *Separation and Gel Permeation Analysis of Natural Emulsion Stabilizers, SPEJ* Sept., 253
Neilsen, R. L. and Spillette, A. G.: *Two-Dimensional Method For Predicting Hot Waterflood Recovery Behavior, JPT* June, 627; discussion, *JPT* July, 770

O

Odeh, A. S.: *Steady-Flow Capacity of Wells With Limited Entry to Flow, SPEJ* Mar., 43

P

Parsons, R. W.: *Unit Mobility Ratio Displacement Front Passing a Circular Permeability Discontinuity, SPEJ* Dec., 347
Perkins, T. K. and Krech, W. W.: *The Energy Balance Concept of Hydraulic Fracturing, SPEJ* Mar., 1
Pirela, L. V. and Farouq Ali, S. M.: *Ternary Phase Behavior at High Temperatures, SPEJ* Dec., 381
Podio, A. L., et al: *Dynamic Properties of Dry and Water-Saturated Green River Shale Under Stress, SPEJ* Dec., 389
Powers, M. L., et al: *Results of a Tertiary Hot Waterflood in a Thin Sand Reservoir, JPT* July, 739
Prats, M., et al: *In Situ Combustion Away From Thin, Horizontal Gas Channels, SPEJ* Mar., 18
Price, H. S., et al: *Numerical Methods of Higher-Order Accuracy for Diffusion-Convection Equations, SPEJ* Sept., 293

R

Ramey, H. J., Jr., and Bousaid, I. S.: *Oxidation of Crude Oil in Porous Media, SPEJ* June, 137
Ramey, H. J., Jr., and Wattenbarger, R. A.: *Gas Well Testing With Turbulence, Damage and Wellbore Storage, JPT* Aug., 877
Ramey, H. J., Jr., et al: *Gas Well Testing in a Fractured Carbonate Reservoir, JPT* Oct., 1187
Pressure Distribution in Rectangular Reservoirs, JPT Feb., 199
Rodgers, J. C. and Templeton, C. C.: *Prediction of Anhydrite Precipitation in Field Water-Heating Systems, JPT* Apr., 423
Rowe, A. M., Jr., and Barnes, A. L.: *A Feasibility Study of an In Situ Retorting Process for Oil Shale, SPEJ* Sept., 231; discussion, 422
Rowley, D. S. and Appl, F. C.: *Analysis of the Cutting Action of a Single Diamond, SPEJ* Sept., 269
Rudd, N.: Discussion on *Threshold Pressure Phenomena in Porous Media, SPEJ*, 420

S

Schrider, L. A. and Wasson, J. A.: *Combination Method for Predicting Waterflood Performance for Five-Spot Patterns in Stratified Reservoirs, JPT* Oct., 1195; discussion, 1429

Schuh, F. J.: *Failures in the Bottom Joints of Surface and Intermediate Casing Strings, JPT* Jan., 93

Seth, M. S. and Gray, K. E.: *Transient Stresses and Displacement Around a Wellbore Due to Fluid Flow in Transversely Isotropic, Porous Media: I. Infinite Reservoirs, SPEJ* Mar., 63

Transient Stresses and Displacement Around a Wellbore Due to Fluid Flow in Transversely Isotropic Porous Media: II. Finite Reservoirs, SPEJ Mar., 79

Silberberg, I. H., et al: *A Method of Predicting Oil Recovery in a Five-Spot Steamflood, JPT* Sept., 1050

Performance of the Skewed Four-Spot Injection Pattern, JPT Nov., 1315

Skov, A. M., et al: *Progress Report on Spraberry Waterflood Reservoir Performance, Well Stimulation, and Water Treating and Handling, JPT* Sept., 1039

Smith, L. R. and Yarborough, L.: *Equilibrium Revaporization of Retrograde Condensate by Dry Gas Injection, SPEJ* Mar., 87

Smits, L. J. M.: *SP Log Interpretation in Shaly Sands, SPEJ* June, 123

Smits, L. J. M. and Waxman, M. H.: *Electrical Conductivities in Oil-Bearing Shaly Sands, SPEJ* June, 107

Spillette, A. G. and Nielsen, R. L.: *Two-Dimensional Method For Predicting Hot Waterflood Recovery Behavior, JPT* June, 627; discussion, *JPT* July, 770

Steves, H. B., et al: *Results of a Tertiary Hot Waterflood in a Thin Sand Reservoir, JPT* July, 739

Stout, C. A. and Nicksic, S. W.: *Separation and Gel Permeation Analysis of Natural Emulsion Stabilizers, SPEJ* Sept., 253

Strassner, J. E.: *Effect of pH on Interfacial Films and Stability of Crude Oil-Water Emulsions, JPT* Mar., 303

T

Tek, M. R., et al: *Threshold Pressure Phenomena in Porous Media, SPEJ* June, 174; discussion, 420

Templeton, C. C. and Rodgers, J. C.: *Prediction of Anhydrite Precipitation in Field Water-Heating Systems, JPT* Apr., 423

Thomas, L. K., et al: *Threshold Pressure Phenomena in Porous Media, SPEJ* June, 174; discussion, 420

Tosch, W. C. and Gogarty, W. B.: *Miscible-Type Waterflooding: Oil Recovery With Micellar Solutions, JPT* Dec., 1407

Truitt, N. E., et al: *In Situ Combustion Away From Thin, Horizontal Gas Channels, SPEJ* Mar., 18

V

van Dijk, C.: *Steam-Drive Project in the Schoonebeek Field, The Netherlands, JPT* Mar., 295

Varga, R. S., et al: *Numerical Methods of Higher-Order Accuracy for Diffusion-Convection Equations, SPEJ* Sept., 293

Vela, S., et al: *A Field Application of Pulse-Testing for Detailed Reservoir Description, JPT* Mar., 313

Vogel, J. V.: *Inflow Performance Relationships for Solution-Gas Drive Wells, JPT* Jan., 83

von Rosenberg, D. U. and Hassinger, R. C.: *A Mathematical and Experimental Examination of Transverse Dispersion Coefficients, SPEJ* June, 195

W

Warner, G. E.: *Waterflooding a Highly Stratified Reservoir, JPT* Oct., 1179

Wasson, J. A. and Schrider, L. A: *Combination Method for Predicting Waterflood Performance for Five-Spot Patterns in Stratified Reservoirs, JPT* Oct., 1195; discussion, 1429

Wattenbarger, R. A. and Ramey, H. J., Jr.: *Gas Well Testing With Turbulence, Damage and Wellbore Storage, JPT* Aug., 877

Waxman, M. H. and Smits, L. J. M.: *Electrical Conductivities in Oil-Bearing Shaly Sands, SPEJ* June, 107

Weijdema, J. and Dietz, D. N.: *Wet and Partially Quenched Combustion, JPT* Apr., 411

Wilson, G. J.: *An Improved Method for Computing Directional Surveys, JPT* Aug., 871

Witherspoon, P. A. and Javandel, I.: *Application of the Finite Element Method to Transient Flow in Porous Media, SPEJ* Sept., 241

Y

Yarborough, L. and Smith, L. R.: *Equilibrium Revaporization of Retrograde Condensate by Dry Gas Injection, SPEJ* Mar., 87

Subject Index

A

Additives: fracturing fluid loss; performance under dynamic conditions, JPT July, 763

Anhydrite: precipitation: prediction in field water-heating systems, JPT Apr., 423

Annulus: hydraulic jar: analytical and experimental investigation of flow within, SPEJ Dec., 351

B

Back-pressure curves: gas kick: mathematical model, JPT Aug., 888

Batesville pool: *See* Kansas

Bell Creek field: *See* Montana

Bits: rock failure during tooth impact and dynamic filtration, SPEJ June, 163

Blowouts: mathematical model of a gas kick, JPT Aug., 888

Boreholes: stresses in nonlinear rock, SPEJ Sept., 304

water circulation down-hole for well cooling, SPEJ Dec., 405

Buildup curves: *See* Pressure Buildup

C

California: crude oils: separation and gel permeation analysis of natural emulsion stabilizers, SPEJ Sept., 253

South Belridge field: in-situ combustion away from thin, horizontal gas channels, SPEJ Mar., 18

Carbonate rocks: gas well testing in a fractured reservoir, JPT Oct., 1187

Case histories: *See* Field Case Histories

Casing: failures in the bottom joints of surface and intermediate strings, JPT Jan., 93

multiple: primary cementing, JPT July, 751

Cementing: primary: multiple casing, JPT Feb., 147

Cements: bond strength: effect of jet perforating, JPT Nov., 1301

Chromatography: ion exchange: separation and gel permeation analysis of natural emulsion stabilizers, SPEJ Sept., 253

Clay: conductivity: oil-bearing shaly sands, SPEJ June, 107

Coefficients: thermal expansion: prediction method for hydrocarbon mixtures, SPEJ June, 95

transverse dispersion: mathematical and experimental examination of, SPEJ June, 195

Combustion: *See also* Underground Combustion

oxidation of crude oil in porous media, SPEJ June, 137

wet and partially quenched, JPT Apr., 411

Completions: *See* Well Completion

Completion practice: *See* Well Completion

Composition: correlation: with viscosity, pressure, and temperature of hydrocarbon systems, SPEJ June, 157

Compressibility: hydrocarbon mixtures: prediction method, SPEJ June, 95

Compression: nonlinear rock: around wellbores, SPEJ Sept., 304

Computers: CDC 1604: steady-state flow capacity of wells with limited entry to flow, SPEJ Mar., 43

digital: calculation of inflow performance relationships for solution-gas drive wells, JPT Jan., 83

combination method for predicting waterflood perform-

ance for five-spot patterns in stratified reservoirs, JPT Oct., 1195; discussion, 1429
mathematical model of a gas kick, JPT July, 888
numerical methods of higher-order accuracy for diffusion-convection equations, SPEJ Sept., 293
practical considerations in the numerical solution of two-dimensional reservoir problems, SPEJ June, 185
IBM 7094: calculating gas condensate phase equilibria by a corresponding states correlation, SPEJ Sept., 281
programs: in-place determination of permeability distribution for heterogeneous porous media through analysis of energy dissipation, SPEJ Mar., 33
simulation of three-dimensional, three-phase flow in reservoirs: gas percolation problem, SPEJ Dec., 413
symbols for petroleum reservoir engineering, natural gas engineering and well logging, SPEJ Dec., 423
Condensates: phase equilibria: corresponding states correlation for calculating, SPEJ Sept., 281
retrograde: equilibrium revaporization by dry gas injection, SPEJ Mar., 87
Conductivity: electrical: oil-bearing shaly sands, SPEJ June, 107
Convection: diffusion equations: numerical methods of higher-order accuracy, SPEJ Sept., 293
Cores: Berea sandstone: displacement mechanisms of micellar solutions, JPT Dec., 1415
Correlations: corresponding states: for calculating gas-condensate phase equilibria, SPEJ Sept., 281
viscosity of hydrocarbon systems with pressure, temperature, and composition, SPEJ June, 157
Crude oils: oxidation in porous media, SPEJ June, 137
water emulsions: effect of pH on stability, JPT Mar., 303
Cycling: *See* Gas Cycling

D

Depletion: natural: gas percolation problem in simulation of three-dimensional, three-phase flow in reservoirs, SPEJ Dec., 413
Diamond: single: analysis of cutting action, SPEJ Sept., 269
Diffusion: convection equations: numerical methods of higher-order accuracy, SPEJ Sept., 293
Dimensionless groups: pressure distributions in rectangular reservoirs, JPT Feb., 199
Directional wells: surveys: improved method for computing, JPT Aug., 871
Dispersion: transverse coefficients: mathematical and experimental examination of, SPEJ June, 195
Displacement mechanism: *See also* types of displacement
around wellbore due to fluid flow in transversely isotropic, porous media: finite reservoirs, SPEJ Mar., 79
infinite reservoirs, SPEJ Mar., 63
gravity drainage: mathematical basis of two-phase, incompressible vertical flow through porous media and its implications, SPEJ Sept., 225
linear waterflooding: Little Creek field, Mississippi, JPT May, 525
micellar solutions in sandstone cores, JPT Dec., 1415
multiphase flow: partial integration of equations, SPEJ Dec., 370
oil by water: combination method for predicting waterflood performance for five-spot patterns in stratified reservoirs, JPT Oct., 1195; discussion, 1429
pseudoplatic fluids: areal sweep efficiency in a five-spot Hele-Shaw model, SPEJ Mar., 52
threshold pressure phenomena in porous media, SPEJ June, 174; discussion, 420
unit mobility ratio front passing a circular permeability discontinuity, SPEJ Dec., 347
Dissolved-gas drive: *See* Solution-Gas Drive
Dog legs: computing severity: improved method for directional surveys, JPT Aug., 871
Drainage: rectangular and square shapes: pressure distributions, JPT Feb., 199
Drawdown tests: gas wells: testing with turbulence, damage and wellbore storage, JPT Aug., 877
Drilling: *See also* Offshore Drilling
diamond: analysis of cutting action of a single diamond, SPEJ Sept., 269
directional: improved method for computing surveys, JPT Aug., 871
failures in the bottom joints of surface and intermediate casing strings, JPT Jan., 93
gas kick: mathematical model, JPT Aug., 888
rock failure: during tooth impact and dynamic filtration, SPEJ June, 163

E

East Burbank pool: *See* Oklahoma
Elasticity: Green River shale: dry and water-saturated under stress, SPEJ Dec., 389
Electric logging: *See* Well Logging
Electrical properties: experimental test of the cutting and rejoining model for representing porous bodies, SPEJ Mar., 13
Emulsions: crude oil-water: effect of pH on stability, JPT Mar., 303
separation and gel permeation analysis of natural stabilizers, SPEJ Sept., 253
Energy: balance: hydraulic fracturing using concept, SPEJ Mar., 1
dissipation analysis: for in-place determination of permeability distribution of heterogeneous porous media, SPEJ Mar., 33
Equilibrium: phase: corresponding states correlation for calculating for gas condensates, SPEJ Sept., 281
revaporization: of retrograde condensate by dry-gas injection, SPEJ Mar., 87
Equilibrium ratio: gas condensates: calculating from a corresponding states correlation, SPEJ Sept., 281
casing: failures in the bottom joints of surface and intermediate strings, JPT Jan., 93
Equipment: *See also* names of various types
hydraulic jar: analytical and experimental investigation of flow within, SPEJ Dec., 351
Evaluations: *See also* Field Case Histories, Field Tests, Formation Evaluation, and Laboratory Studies
controlled: surfactant in secondary recovery, JPT Nov., 1320

F

Field applications: *See* Field Tests
Field case history: *See also* Field Tests
East Burbank pool, Oklahoma: waterflooding a highly stratified reservoir, JPT Oct., 1179
Little Creek field, Mississippi: waterflooding by linear displacement, JPT May, 525
Schoonebeek field, The Netherlands: steam-drive project, JPT Mar., 295
Shoats Creek field: performance review of vaporizing gas-drive project, JPT Apr., 416
Spraberry field, Texas: progress report on waterflood reservoir performance, well stimulation, and water treating and handling, JPT Sept., 1039
Field tests: *See also* Evaluation
anhydrite precipitation: prediction in field water-heating systems, JPT Apr., 423
gas well: fractured carbonate reservoir, JPT Oct., 1187
oil recovery with micellar solutions: miscible-type waterflooding, JPT Dec., 1407
pulse-testing for detailed reservoir description, JPT Mar., 313
surfactant: controlled evaluation in secondary recovery, JPT Nov., 1320
well completions: primary cementing of multiple casing, JPT July, 751
Films: interfacial: effect of pH, JPT Mar., 303
Filtration: dynamic: rock failure during, SPEJ June, 163
Finite element method: transient flow in porous media: application of, SPEJ Sept., 241
Flow capacity: steady state: wells with limited entry to flow, SPEJ Mar., 43
Fluid flow: *See also* specific applications, such as, gas injection, miscible displacement, and waterflooding
hot waterflood: two-dimensional method for predicting recovery behavior, JPT June, 627; discussion, JPT July, 770
hydraulic jar: analytical and experimental investigation, SPEJ Dec., 351
Fluid flow: injection pattern performance: skewed four-spot, JPT Nov., 1315
multiphase: partial integration of equations, SPEJ Dec., 370
porous media: application of finite element method to transient flow, SPEJ Sept., 241
mechanism of gas and liquid flow in presence of foam, SPEJ Dec., 359

pressure distributions in rectangular reservoirs, JPT Feb., 199
pulse-testing: field application for detailed reservoir description, JPT Mar., 313
steady-state flow capacity of wells with limited entry to flow, SPEJ Mar., 43
three-phase, three-dimensional: treatment of gas percolation problem, SPEJ Dec., 413
transverse dispersion coefficients: mathematical and experimental examination, SPEJ June, 195
transversely isotropic, porous media: finite reservoirs; transient stresses and displacement around wellbore, SPEJ Mar., 79
infinite reservoirs; transient stresses and displacement around wellbore, SPEJ Mar., 63
two- and three-phase: calculation of imbibition relative permeability from rock properties, SPEJ June, 149
two-phase, incompressible vertical flow through porous media: mathematical basis and implications in study of gravity-drainage reservoirs, SPEJ Sept., 225
unit mobility ratio displacement front passing a circular permeability discontinuity, SPEJ Dec., 347
Fluid injection: *See* Gas Injection, Miscible Displacement, Thermal Recovery of Oil, and Waterflooding
Fluid loss: fracturing agents: performance under dynamic conditions, JPT July, 763
Fluid properties: *See* the specific property
Foams: mechanism of gas and liquid flow through porous media in presence of, SPEJ Dec., 359
Formation damage: gas well testing with turbulence and wellbore storage, JPT Aug., 877
hydraulic fracturing: causes high stress concentration at leading edge of fracture, SPEJ Mar., 1
Formation evaluation: *See also* Drawdown Tests, Pressure Buildup and Well Logging
permeability distribution: in-place determination for heterogeneous porous media through analysis of energy dissipation, SPEJ Mar., 33
reservoir description: field application of pulse-testing for details, JPT Mar., 313
Formation factors: measurement: experimental test of the cutting and rejoining model for representing porous bodies, SPEJ Mar., 13
Formation fractures: carbonate reservoir: gas well testing, JPT Oct., 1187
induced vertically oriented: effect on five-spot sweep efficiency, SPEJ Sept., 260
gas wells: testing and analyzing those of low permeability, JPT Feb., 193
transient pressure testing of water injection wells, JPT June, 639
vertical: oil shales; feasibility study of an in-situ retorting process, SPEJ Sept., 231; discussion, 422
Formation fracturing: fluid loss agents: performance under dynamic conditions, JPT July, 763
hydraulic: energy balance concept, SPEJ Mar., 1
Fractured reservoir or fracturing: *See* Formation Fractures and Formation Fracturing
Fractures: *See* Formation Fractures-

G

Gas condensates: *See* Condensates
Gas cycling: equilibrium revaporization of retrograde condensate by dry gas injection, SPEJ Mar., 87
Gas drive: mechanism of flow through porous media in presence of foam, SPEJ Dec., 359
vaporizing: performance review of Shoats Creek Unit, JPT Apr., 416
Gas injection: dry: equilibrium revaporization of retrograde condensate, SPEJ Mar., 87
Gas percolation: treatment in simulation of three-dimensional, three-phase flow in reservoirs, SPEJ Dec., 413
Gas wells: low-permeability fractured: testing and analyzing, JPT Feb., 193
testing: fractured carbonate reservoir, JPT Oct., 1187
with turbulence, damage and wellbore storage, JPT Aug., 877
Gases: *See also* Natural Gas
channels: in-situ combustion away from thin horizontal types, SPEJ Mar., 1
kicks in wells: mathematical model, JPT Aug., 888
mechanism of flow through porous media in presence of foam, SPEJ Dec., 359
Gravity drainage: performance predictions using a three-dimensional model, JPT May, 517
reservoirs: mathematical basis and implications of two-phase, incompressible vertical flow through porous media, SPEJ Sept., 225
Gravity segregation: *See* Gravity Drainage
Green River shale: dry and water-saturated: dynamic properties under stress, SPEJ Dec., 389
Gulf Coast: gas kick: mathematical model, JPT Aug., 888

H

Heat: recuperation: during wet and partially quenched combustion, JPT Apr., 411
Heat transfer: diffusion-convection equations: numerical methods of higher-order accuracy, SPEJ Sept., 293
in-situ retorting process for oil shale: feasibility study, SPEJ Sept., 231; discussion, 422
Hydraulic jar: flow within: analytical and experimental investigation, SPEJ Dec., 351
Hydrocarbons: correlation: viscosity with pressure, temperature, and composition, SPEJ June, 157
mixtures: prediction of volumes, compressibilities and thermal expansion coefficients, SPEJ June, 95

I

Imbibition: relative-permeability calculation for two- and three-phase flow from rock properties, SPEJ June, 149
Immiscible displacement: two-phase, incompressible vertical flow: mathematical basis and implications in study of gravity drainage reservoirs, SPEJ Sept., 225
Injection: *See also* Gas Injection, Miscible Displacement, Thermal Recovery of Oil, and Solvent- and Waterflooding
gas: cyclic: feasibility study of an in-situ retorting process for oil shale, SPEJ Sept., 231; discussion, 422
hot water: two-dimensional method for predicting recovery behavior, JPT June, 627; discussion, JPT July, 770
pattern performance: skewed four-spot JPT Nov., 1315
steam: method of predicting oil recovery in a five-spot flood, JPT Sept., 1050
zone growth in preheated reservoir, SPEJ Sept., 313
water: wet and partially quenched combustion, JPT Apr., 411
Injection wells: water: transient pressure testing of fractured wells, JPT June, 639
In-situ combustion: *See* Thermal Recovery of Oil
Integral equations: partial for multiphase flow, SPEJ Dec., 370
Interpretation: SP log in shaly sands, SPEJ June, 123

J

Jet perforating: effect on bond strength of cement, JPT Nov., 1301
Joints: bottom: failures of surface and intermediate casing strings, JPT Jan., 93

K

Kansas: Batesville pool: secondary recovery; controlled evaluation of a surfactant, JPT Nov., 1320

L

Laboratory studies: bond strength of cement: effect of jet perforating, JPT Nov., 1301
cutting and rejoining model for representing porous bodies, SPEJ Mar., 13
fractures: induced vertically-oriented; effect on five-spot sweep efficiency, SPEJ Sept., 260
fracturing: fluid loss agents; performance under dynamic conditions, JPT July, 763
gas and liquid flow: porous media; mechanism in presence of foam, SPEJ Dec., 359
gas condensate phase equilibria: corresponding states correlation for calculating *K*-values, SPEJ Sept., 281
Green River shale: dynamic properties under stress, SPEJ Dec., 389
hydraulic fracturing: energy balance concept, SPEJ Mar., 1
hydraulic jar: investigation of flow within, SPEJ Dec., 351
micellar solutions: displacement mechanisms in sandstone cores, JPT Dec., 1415
oil recovery of miscible-type waterflooding, JPT Dec., 1407
natural emulsion stabilizers: separation and gel permeation analysis, SPEJ Sept., 253

oxidation of crude oil in porous media, SPEJ June, 137
pseudoplastic fluids: areal sweep efficiency in a five-spot Hele-Shaw model, SPEJ Mar., 52
retrograde condensate: equilibrium revaporization by dry-gas injection, SPEJ Mar., 87
rock failure: during tooth impact and dynamic filtration, SPEJ June, 163
skewed four-spot: performance of injection pattern, JPT Nov., 1315
SP log interpretation in shaly sands, SPEJ June, 123
steam-drive process: Schoonebeek field, The Netherlands, JPT Mar., 295
surfactant: controlled evaluation in secondary recovery, JPT Nov., 1320
ternary phase behavior at high temperatures, SPEJ Dec., 381
thermal recovery: wet and partially quenched combustion, JPT Apr., 411
threshold pressure: porous media, SPEJ June, 174; discussion, 420
transverse dispersion coefficients: and a mathematical examination, SPEJ June, 195
vaporization tests: Shoats Creek vaporizing gas-drive project, JPT Apr., 416
well completions: primary cementing of multiple casing, JPT July, 751
Limited entry: to flow: steady-state flow capacity of wells, SPEJ Mar., 43
Liquid: mechanism of flow through porous media in presence of foam, SPEJ Dec., 359
Little Creek field: *See* Mississippi
Loco field: *See* Oklahoma
Log interpretation: *See* Interpretation
Logging. *See* Well Logging
Louisiana: Shoats Creek field: performance review of vaporizing gas-drive project, JPT Apr., 416

M

Mathematical modeling: *See* Models: mathematical
Mechanical properties: cement bond strength: effect of jet perforating, JPT Nov., 1301
Membrane potential: SP log interpretation in shaly sands, SPEJ June, 123
Micellar solutions: displacement mechanism, JPT Dec., 1415
oil recovery in miscible-type waterflooding, JPT Dec., 1407
Miscible displacement: micellar solutions: oil recovery of miscible-type waterflooding, JPT Dec., 1407
numerical methods of higher-order accuracy for diffusion-convection equations, SPEJ Sept., 293
ternary phase behavior at high temperatures, SPEJ Dec., 381
Mississippi: Little Creek field: waterflooding by linear displacement, JPT May, 525
Mixtures: hydrocarbon: prediction of volumes, compressibilities and thermal expansion coefficients, SPEJ June, 95
Mobility: buffer: displacement mechanisms of micellar solutions, JPT Dec., 1415
micellar solution slug: oil recovery in miscible-type waterflooding, JPT Dec., 1407
Mobility ratio: local and time dependent: areal sweep efficiency of pseudoplastic fluids in a five-spot Hele-Shaw model, SPEJ Mar., 52
performance of injection pattern, skewed four-spot, JPT Nov., 1315
unit: displacement front passing a circular permeability discontinuity, SPEJ Dec., 347
cutting and rejoining: experimental test for representing porous bodies, SPEJ Mar., 13
electrical analog: effect of induced vertically-oriented fractures on five-spot sweep efficiency, SPEJ Sept., 269
flow: testing and analyzing low-permeability fractured gas wells, JPT Feb., 193
fluid flow: performance of skewed four-spot injection pattern, JPT Nov., 1315
unit mobility ratio displacement front passing a circular permeability discontinuity, SPEJ Dec., 347
Hele-Shaw: areal sweep efficiency of pseudoplastic fluids in a five-spot well pattern, SPEJ Mar., 52
hydraulic fracturing: energy balance concept, SPEJ Mar., 1
linear flow: transient pressure testing of fractured water injection wells, JPT June, 639
mathematical: gas kick, JPT Aug., 888
gas percolation problem in simulation of three-dimensional, three-phase flow in reservoirs, SPEJ Dec., 413
gas well testing with turbulence, damage and wellbore storage, JPT Aug., 877
in-situ retorting process; feasibility study of shale, SPEJ Sept., 231; discussion, 422
primary cementing of multiple casing, JPT July, 751
steam zone growth in a preheated reservoir, SPEJ Sept., 313
steamflood; method of predicting oil recovery in a five-spot pattern, JPT Sept., 1050
stresses around wellbores in nonlinear rock, SPEJ Sept., 304
two-dimensional; for predicting hot waterflood recovery, JPT June, 627; discussion, JPT July, 770
two-dimensional reservoir problems: practical considerations in the numerical solution, SPEJ June, 185
well cooling by down-hole circulation of water, SPEJ Dec., 405
micro, glass: displacement mechanisms of micellar solutions, JPT Dec., 1415
physical: electrical conductivities in oil-bearing shaly sands, SPEJ June, 107
three-dimensional: predicting gravity-drainage performance, JPT May, 517

N

Natural gas: *See also* Gases
engineering computer symbols, SPEJ Dec., 423
gas kick: mathematical model, JPT Aug., 888
storage: threshold pressure phenomena in porous media, SPEJ June, 174; discussion, 420
well testing in a fractured carbonate reservoir, JPT Oct., 1187
Netherlands: Schoonebeek field: steam-drive project, JPT Mar., 295
Numerical solution: computing directional drilling surveys: improved method, JPT Aug., 871
diffusion-convection equations: higher-order accuracy, SPEJ Sept., 293
drilling with a single diamond: analysis of the cutting action, SPEJ Sept., 269
electrical conductivities in oil-bearing shaly sands, SPEJ June, 107
flow in a hydraulic jar: analytical and experimental investigation, SPEJ Dec., 351
gravity drainage: predicting performance using a three-dimensional model, JPT May, 517
hot waterflood: two-dimensional prediction of recovery behavior, JPT June, 627; discussion, JPT July, 770
hydrocarbon mixtures: prediction of volumes, compressibilities and thermal expansion coefficients, SPEJ June, 95
imbibition relative-permeability calculation for two- and three-phase flow from rock properties, SPEJ June, 149
multiphase flow: partial integration of equations, SPEJ Dec., 370
permeability distribution: in-place determination for heterogeneous porous media through analysis of energy dissipation, SPEJ Mar., 33
solution-gas drive wells: inflow performance relationships, JPT Jan., 83
SP log interpretation in shaly sands, SPEJ June, 123
steady-state flow capacity of wells with limited entry to flow, SPEJ Mar., 43
steam zone growth in a preheated reservoir, SPEJ Sept., 313
transient flow in porous media: application of finite element method, SPEJ Sept., 241
transient stresses and displacement around a wellbore due to fluid flow in transversely isotropic, porous media: finite reservoirs, SPEJ Mar., 79
infinite reservoirs, SPEJ Mar., 63
transverse dispersion coefficients: and experimental examination, SPEJ June, 195
two-dimensional reservoir problems: practical considerations, SPEJ June, 185
two-phase, incompressible, vertical flow through porous media and its implications in study of gravity-drainage reservoirs, SPEJ Sept., 225
unit mobility ratio displacement front passing a circular permeability discontinuity, SPEJ Dec., 347
well cooling by down-hole circulation of water, SPEJ Dec., 405

O

Oil fields: *See also* names of specific fields
Oil recovery: five-spot steamflood: method of predicting, JPT Sept., 1050
micellar solutions: miscible-type waterflooding, JPT Dec., 1407
Oil shales: in-situ retorting process: feasibility study, SPEJ Sept., 231; discussion, 422
Oil wells: inflow performance relationships for solution-gas drive, JPT Jan., 83
Oklahoma: East Burbank pool: waterflooding a highly stratified reservoir, JPT Oct., 1179
Loco field: tertiary hot waterflood results in a thin sand reservoir, JPT July, 739
Overburden pressure: natural gas storage: threshold pressure in porous media, SPEJ June, 174
Oxidation: crude oil in porous media, SPEJ June, 137

P

Perforating: jet: effect on bond strength of cement, JPT Nov., 1301
Performance predictions: gravity drainage: three-dimensional model, JPT May, 517
hot waterflood: two-dimensional method for predicting recovery behavior, JPT June, 627; discussion, JPT July, 770
hydraulic jar: analytical and experimental investigation of flow within, SPEJ Dec., 351
oilwells: inflow relationships for solution-gas drive, JPT Jan., 83
Shoats Creek field, Louisiana: vaporizing gas-drive project, JPT Apr., 416
skewed four-spot injection pattern, JPT Nov., 1315
steamflood: method for oil recovery in a five-spot pattern, JPT Sept., 1050
waterflood: combination method for five-spot patterns in stratified reservoirs, JPT Oct., 1195; discussion, 1429
Permeability: circular discontinuity: passing of unit mobility ratio displacement front, SPEJ Dec., 347
distribution: in-place determination for heterogenous porous media through analysis of energy dissipation, SPEJ Mar., 33
low: testing and analyzing fractured gas wells, JPT Feb., 193
relative: imbibition calculation for two- and three-phase flow from rock properties, SPEJ June, 149
rock: experimental test of the cutting and rejoining model for representing porous bodies, SPEJ Mar., 13
stratified: combination method for predicting waterflood performance for five-spot patterns, JPT Oct., 1195; discussion, 1429
waterflooding East Burbank pool, Oklahoma, JPT Oct., 1179
Permeation: gel: analysis of natural emulsion stabilizers, SPEJ Sept., 253
Petroleum economics: *See* Economics
Petroleum engineering: computer symbols: SPEJ Dec., 423
pH: effect on interfacial films and stability of crude oil-water emulsion, JPT Mar., 303
Phase behavior: equilibria: corresponding states correlation for calculating for gas condensates, SPEJ Sept., 281
ternary: high temperatures, SPEJ Dec., 381
Pilot study: Loco field, Oklahoma: tertiary hot waterflood results in a thin sand reservoir, JPT July, 739
Plasticity: pseudo: polymer solutions; areal sweep efficiency in a five-spot Hele-Shaw model, SPEJ Mar., 52
Porous Media: *See also* Reservoir Rocks
gas and liquid flow mechanism in presence of foam, SPEJ Dec., 359
heterogeneous: in-place determination of permeability distribution through analysis of energy dissipation, SPEJ Mar., 33
model representation: experimental test of the cutting and rejoining model, SPEJ Mar., 13
oxidation of crude oil, SPEJ June, 137
threshold pressure phenomena, SPEJ June, 174; discussion, 420
transient flow: application of the finite element method, SPEJ Sept., 241
transversely isotropic: transient stresses and displacement around a wellbore due to fluid flow in finite reservoirs, SPEJ Mar., 79
transient stresses and displacement around a wellbore due to fluid flow in infinite reservoirs, SPEJ Mar., 63
two-phase, incompressible vertical flow: mathematical basis and implications in study of gravity-drainage reservoirs, SPEJ Sept., 225
Pressure behavior: correlation: with viscosity, temperature, and composition of hydrocarbon systems, SPEJ June, 157
numerical solution of two-dimensional reservoir problems; practical considerations, SPEJ June, 185
threshold phenomena: in porous media, SPEJ June, 174; discussion, 420
Pressure buildup: fractured carbonate reservoir: gas well testing, JPT Oct., 1187
gas wells: testing with turbulence, damage and wellbore storage, JPT Aug., 877
Pressure distribution: rectangular reservoirs, JPT Feb., 199
Pressure maintenance: *See also* Gas Injection, Miscible Displacement, and Solvent- and Waterflooding
waterflooding: linear displacement in Little Creek field, Mississippi, JPT May, 525
Pressure transients: testing of fractured water injection wells, JPT June, 639
Production: control: solution-gas drive wells: inflow performance relationships, JPT Jan., 83
Production operations: *See also* the specific operation.
crude oil-water emulsions: stability and effect of pH on interfacial films, JPT Mar., 303
Pulse testing: for detailed reservoir description: field application, JPT Mar., 313

R

Recovery methods: *See also* Oil Recovery, Secondary Recovery, and Thermal Recovery of Oil
Relative permeability: *See* Permeability: relative
Reservoir analysis: *See also* Performance predictions
East Burbank pool, Oklahoma: waterflooding a highly stratified reservoir, JPT Oct., 1179
multiphase flow: partial integration of equations, SPEJ Dec., 370
Reservoir characteristics: pulse-testing for detailed description: field application, JPT Mar., 313
Reservoir engineering: *See* Reservoir mechanics
Reservoir mechanics: gravity drainage: predicting performance using a three-dimensional model, JPT May, 517
Reservoir pressure: *See* Pressure Behavior
Reservoir rocks: *See also* Cores and Porous Media
drilling: analysis of cutting action of a single diamond, SPEJ Sept., 269
failure: during tooth impact and dynamic filtration, SPEJ June, 163
nonlinear: stresses around wellbores, SPEJ Sept., 304
Reservoir simulation: gas percolation problem in three-dimensional, three-phase flow, SPEJ Dec., 413
gravity drainage: predicting performance using a three-dimensional model, JPT May, 517
two-dimensional reservoir problems: practical considerations in the numerical solution, SPEJ June, 185
Reservoirs: *See also* type, such as Bottom Water Drive, Gas Drive, Gravity Drainage, Solution-Gas Drive, and also specific names
finite: transient stresses and displacement around a wellbore due to fluid flow in transversely isotropic, porous media, SPEJ Mar., 79
gravity-drainage: mathematical basis of two-phase, incompressible vertical flow through porous media and its implications, SPEJ Sept., 225
infinite: transient stresses and displacement around a wellbore due to fluid flow in transversely isotropic, porous media, SPEJ Mar., 63
preheated: steam zone growth, SPEJ Sept., 313
rectangular: pressure distributions, JPT Feb., 199
thin sand: results of a tertiary hot waterflood in the Loco field, JPT July, 739
Resistivity: index: oil-bearing shaly sands, SPEJ June, 107
Retrograde condensation: equilibrium revaporization by dry-gas injection, SPEJ Mar., 87
Revaporization: equilibrium: of retrograde condensate by dry-gas injection, SPEJ Mar., 87
Rock mechanics: drilling: analysis of cutting action of a single diamond, SPEJ Sept., 269
hydraulic fracturing: energy balance concept, SPEJ Mar., 1
nonlinear rock: stresses around wellbores, SPEJ Sept., 304
Rock properties: electrical conductivities in oil-bearing shaly sands, SPEJ June, 107
Green River shale: dry and water-saturated under stress, SPEJ Dec., 389

imbibition relative-permeability calculation for two- and three-phase flow, SPEJ June, 149
Rocks: *See* Reservoir Rocks

S

Sand: shaly: oil-bearing: electrical conductivities, SPEJ June, 107
SP log interpretation, SPEJ June, 123
Scale: water-heating systems in field: prediction of anhydrite precipitation, JPT Apr., 423
Schoonebeek field: *See* Netherlands
Secondary recovery: *See also* Gas Injection, Miscible Displacement, Thermal Recovery of Oil, and Solvent- and Waterflooding
performance of skewed four-spot injection pattern, JPT Nov., 1315
surfactant: controlled evaluation, JPT Nov., 1320
waterflooding: linear displacement in Little Creek field, Mississippi, JPT May, 525
Separation: and gel permeation analysis: natural emulsion stabilizers, SPEJ Sept., 253
Shale: Green River: dynamic properties of dry and water-saturated types under stress, SPEJ Dec., 389
Shale oils: *See* Oil Shales
Shoats Creek field: *See* Louisiana
Slug process: *See also* Miscible displacement
micellar solutions: displacement mechanisms in sandstone cores, JPT Dec., 1415
oil recovery in miscible-type waterflooding, JPT Dec., 1407
Society of Petroleum Engineers: computer symbols standard, SPEJ Dec., 423
Solubility: anhydrite: prediction in field water-heating systems, JPT Apr., 423
Solution-gas drive: inflow performance relationships for wells, JPT Jan., 83
Schoonebeek field, The Netherlands: steam-drive project reported, JPT Mar., 295
Solvent flooding: ternary phase behavior at high temperatures, SPEJ Dec., 381
South Belridge field: *See* California
SP log: interpretation in shaly sands, SPEJ June, 123
Spontaneous potential: *See* SP Log
Spraberry field: *See* Texas
Standardization: computer symbols, SPEJ Dec., 423
Steam injection: *See* Thermal Recovery of Oil
Stimulation: *See* Well Stimulation, or the specific process
Storage: wellbore: gas well storage, JPT Aug., 877
Stratification: *See* Permeability, stratified
Stresses: around wellbore: nonlinear rocks, SPEJ Sept., 304
dynamic properties of dry and water-saturated Green River shale, SPEJ Dec., 389
hydraulic fracturing: energy balance concept, SPEJ Mar., 1
single diamond: analysis of cutting action while drilling, SPEJ Sept., 269
transient; around a wellbore due to fluid flow in transversely isotropic, porous media: finite reservoirs, SPEJ Mar., 79
infinite reservoirs, SPEJ Mar., 63
Surface active agents: *See* Surfactants
Surfactants: secondary recovery: controlled evaluation, JPT Nov., 1320
Surveys: directional: improved method for computing, JPT Aug., 871
Sweep efficiency: areal: pseudoplastic fluids in a five-spot Hele-Shaw model, SPEJ Mar., 52
steamflood; method of predicting oil recovery in a five-spot pattern, JPT Sept., 1050
five spot: effect of induced vertically oriented fractures, SPEJ Sept., 260
in-situ combustion away from thin, horizontal gas channels, SPEJ Mar., 18
performance of injection pattern: skewed four-spot, JPT Nov., 1315
Swept area: *See* Sweep Efficiency
Symbols: computer: petroleum reservoir engineering, natural gas engineering and well logging, SPEJ Dec., 423

T

Temperature: correlation: with viscosity, pressure, and composition of hydrocarbon systems, SPEJ June, 157
distribution: steam zone in a preheated reservoir, SPEJ Sept., 313
high: ternary phase behavior, SPEJ Dec., 381
Tertiary: hot waterflood: results in a thin sand reservoir, JPT July, 739
Testing: bond strength of cement: effect of jet perforating, JPT Nov., 1301
dynamic: performance of fracturing fluid loss agents, JPT July, 763
gas wells: buildup and drawdown: with turbulence, damage and wellbore storage, JPT Aug., 877
in fractured carbonate reservoir, JPT Oct., 1187
of low permeability and fractured, JPT Feb., 193
pulse: for detailed reservoir description; field application, JPT Mar., 313
rock failure: during tooth impact and dynamic filtration, SPEJ June, 163
tertiary hot waterflood: results in a thin sand reservoir, JPT July, 739
transient pressure: fractured water injection wells, JPT June, 639
Texas: Spraberry field: progress report on waterflood reservoir performance, well stimulation, and water treating and handling, JPT Sept., 1039
Thermal properties: hydrocarbon mixtures: prediction of expansion coefficients, SPEJ June, 95
Thermal recovery of oil: combustion: wet and partially quenched, JPT Apr., 411
hot waterflood: tertiary; results in a thin sand reservoir in the Loco field, JPT July, 739
two-dimensional method for predicting hot waterflood recovery behavior, JPT June, 627; discussion, JPT July, 770
in-situ combustion: away from thin, horizontal gas channels, SPEJ Mar., 18
in-situ retorting process: feasibility study for oil shale, SPEJ Sept., 231; discussion, 422
oxidation of crude oil in porous media, SPEJ June, 137
steam: method of predicting oil recovery in a five-spot pattern, JPT Sept., 1050
Schoonebeek field, The Netherlands, JPT Mar., 295
zone growth in preheated reservoir, SPEJ Sept., 313
ternary phase behavior at high temperatures, SPEJ Dec., 381
well cooling by down-hole circulation of water, SPEJ Dec., 405
Torque: high energy impulses: causes failures in the bottom joints of surface and intermediate casing strings, JPT Jan., 93
Transient flow: porous media: application of the finite element method, SPEJ Sept., 241

U

Underground combustion: *See also* Thermal Recovery of Oil
convective heat transfer model, SPEJ, Dec., 323
wet and partially quenched, JPT Apr., 411
Underground storage: natural gas: threshold pressure phenomena in porous media, SPEJ June, 174

V

Valuations: *See* Evaluations
Vaporization: performance review of Shoats Creek vaporizing gas-drive project, JPT Apr., 416
Viscosity: hydrocarbons: correlation with pressure, temperature, and composition, SPEJ June, 157
Volatile oils: Shoats Creek field, Louisiana: performance review of vaporizing gas-drive project, JPT Apr., 416
Volume: hydrocarbon mixtures: prediction method, SPEJ June, 95

W

Water: circulation down-hole for well cooling, SPEJ Dec., 405
saturated: dynamic properties of Green River shale under stress, SPEJ Dec., 389
Waterflooding: East Burbank pool, Oklahoma: highly stratified reservoir, JPT Oct., 1179
five-spot patterns in stratified reservoirs: combination method for predicting, JPT Oct., 1195; discussion, 1429
hot: results of tertiary flood in a thin sand reservoir, JPT July, 739

two-dimensional method for predicting recovery behavior, JPT June, 627; discussion, JPT July, 770
Little Creek field, Mississippi: linear displacement, JPT May, 525
mechanism of flow through porous media in presence of foam, SPEJ Dec., 359
miscible-type: oil recovery with micellar solutions, JPT Dec., 1407
Spraberry field: progress report on reservoir performance, well stimulation, and water treating and handling, JPT Sept., 1039
surfactant: controlled evaluation in secondary recovery, JPT Nov., 1320
transient pressure testing of fractured injection wells JPT June, 639
Water Injection: *See* Waterflooding
Water treating: anhydrite precipitation: prediction in field water-heating systems, JPT Apr., 423
Spraberry field: progress report including water handling, well stimulation and waterflood reservoir performance, JPT Sept., 1039
Water wells: injection: transient pressure testing of fractured wells, JPT June, 639
Well completion: *See also* specific types
fracturing fluid loss agents: performance under dynamic conditions, JPT July, 763
jet perforating: effect on bond strength of cement, JPT Nov., 1301
primary cementing of multiple casing, JPT July, 751
Well logging: computer symbols, SPEJ Dec., 423
electrical conductivities in oil-bearing shaly sands, SPEJ June, 107
SP log interpretation in shaly sands, SPEJ June, 123
Well pattern: five-spot: areal sweep efficiency of pseudoplastic fluids in a Hele-Shaw model, SPEJ Mar., 52
combination method for predicting waterflood performance in stratified reservoirs, JPT Oct., 1195; discussion, 1429
effect of induced vertically oriented fractures on sweep efficiency, SPEJ Sept., 260
method of predicting oil recovery in a steamflood, JPT Sept., 1050
four-spot: performance of skewed injection pattern, JPT Nov., 1315
in-situ combustion away from thin, horizontal gas channels, SPEJ Mar., 18
Well performance: *See also* Wellbore Mechanics
gas wells: testing and analyzing those fractured and of low permeability, JPT Feb., 193
solution-gas drive: inflow performance relationships, JPT Jan., 83
steady-state flow capacity of wells with limited entry to flow, SPEJ Mar., 43
Well stimulation: *See also* Acidizing, Formation Fracturing and Perforating
Spraberry field: progress report including reservoir performance and water treating and handling, JPT Sept., 1039
Well treatment: cooling: by down-hole circulation of water, SPEJ Dec., 405
Wellbore mechanics: directional drilling surveys: improved method for computing, JPT Aug., 871
stresses around wellbore: nonlinear rocks, SPEJ Sept., 304
transient stresses and displacement due to fluid flow in transversely isotropic, porous media: finite reservoirs, SPEJ Mar., 79
infinite reservoirs, SPEJ Mar., 63
Wettability: effect on revaporization of retrograde condensate by dry-gas injection, SPEJ Mar., 87